

ROGER'S WHOLESALE FASTENER AGENCY

ph: 0426 252 663 web: www.rwfa.com.au

> Home > Products > Metric Flange Bolts

This page is available at https://www.rwfa.com.au/Products/Metric-Flange-Bolts/

Metric Flange Bolts

- Metric coarse and metric fine flange bolts, non-serrated, zinc yellow, class 8.8 to JIS-1189.
- Very small head zinc clear M6 flange bolts stocked for the motor cycle industry.
- Metric Coarse, zinc clear serrated flange bolts, class 8.8 to DIN6921 also stocked.



METRIC COARSE CLASS 8.8 FLANGE BOLTS



M5 - 0.80mm Pitch Non-serrated

Stock Code	Leng	jt l Pack	A/F Size	Fully	Finish
		Qty		Threaded	
FBM8805012ZY	12	50	8	Yes	

					Zinc Yellow
FBM8805016ZY	16	50	8	Yes	Zinc Yellow
FBM8805020ZY	20	50	8	Yes	Zinc Yellow
FBM8805025ZY	25	50	8	Yes	Zinc Yellow

M6 - 1.00mm Pitch Non-serrated

Manufactured to JIS-1189

Stock Code	Leng	itliPack Qty	A/F Size	Fully Threaded	Finish
FBM8806010ZY	10	50	10	Yes	Zinc Yellow
FBM8806012ZY	12	50	10	Yes	Zinc Yellow
FBM8806016ZY	16	50	10	Yes	Zinc Yellow
FBM8806020ZY	20	50	10	Yes	Zinc Yellow
FBM8806025ZY	25	50	10	Yes	Zinc Yellow
FBM8806030ZY	30	50	10	Yes	Zinc Yellow
FBM8806040ZY	40	50	10	Yes	Zinc Yellow
FBM8806050ZY	50	50	10	No	Zinc Yellow

M8 - 1.25mm Pitch Non-serrated

Stock Code	Lengt l? ack	A/F Size	Fully	Finish
	Qty		Threaded	

FBM8808012ZY	12	50	12	Yes	Zinc Yellow
FBM8808016ZY	16	50	12	Yes	Zinc Yellow
FBM8808020ZY	20	50	12	Yes	Zinc Yellow
FBM8808025ZY	25	50	12	Yes	Zinc Yellow
FBM8808030ZY	30	50	12	Yes	Zinc Yellow
FBM8808040ZY	40	50	12	Yes	Zinc Yellow
FBM8808050ZY	50	50	12	Yes	Zinc Yellow
FBM8808070ZY	70	50	12	No	Zinc
FBM8808075ZY	75	50	12	No	Yellow Zinc Yellow
					I CIIOVV

M10 - 1.50mm Pitch Non-serrated

Stock Code	Leng	tlPack Qty	A/F Size	Fully Threaded	Finish
FBM8810016ZY	16	50	14	Yes	Zinc Yellow
FBM8810020ZY	20	50	14	Yes	Zinc Yellow
FBM8810025ZY	25	50	14	Yes	Zinc Yellow
FBM8810030ZY	30	50	14	Yes	Zinc Yellow
FBM8810040ZY	40	50	14	Yes	Zinc Yellow
FBM8810050ZY	50	50	14	Yes	Zinc Yellow
FBM8810070ZY	70	50	14	No	Zinc Yellow

M12 - 1.75mm Pitch Non-serrated

Manufactured to JIS-1189

Stock Code	Lengt l Pack		A/F Size	Fully	Finish
		Qty		Threaded	
FBM8812030ZY	30	25	15	Yes	Zinc
					Yellow
FBM8812040ZY	40	25	15	Yes	Zinc
					Yellow
FBM8812060ZY	60	25	15	Yes	Zinc
					Yellow

M12 - 1.75mm Pitch Serrated

Manufactured to DIN 6921

Stock Code	Leng	t l Pack Qty	A/F Size	Fully Threaded	Finish
FSM8812050ZY	50	25	16	Yes	Zinc Yellow

ASSORTMENT KITS AVAILABLE 445 & 220 PIECES

METRIC FINE CLASS 8.8 FLANGE BOLTS

M10 - 1.25mm Pitch Non-serrated

Stock Code	Leng	t li ack Qty	A/F Size	Fully Threaded	Finish
FBF8810025ZY	25	50	14	Yes	Zinc Yellow
FBF8810030ZY	30	50	14	Yes	

					Zinc Yellow
FBF8810035ZY	35	50	14	Yes	Zinc Yellow
FBF8810040ZY	40	50	14	Yes	Zinc Yellow
FBF8810050ZY	50	50	14	Yes	Zinc Yellow

M12 - 1.25mm Pitch Serrated

Manufactured to DIN 6921

Stock Code	Leng	ıtliPack Qty	A/F Size	Fully Threaded	Finish
FSF8812040ZY	40	25	16	Yes	Zinc Yellow

METRIC COARSE CLASS 10.9 FLANGE BOLTS



M14 - 2.00mm Pitch Non-serrated

Manufactured to DIN 6921

Stock Code LengtlPack A/F Size Fully Finish

Qty Threaded

FBM1014035P	35	25	18	Yes	Black
FBM1014040P	40	25	18	Yes	Black
FBM1014050P	50	25	18	No	Black
FBM1014060P	60	25	18	No	Black
FBM1014070P	70	25	18	No	Black
FBM1014080P	80	10	18	No	Black
FBM1014100P	100	10	18	No	Black

VERY SMALL HEAD METRIC CLASS 8.8



M6 - 1.00mm Pitch Non-serrated

Stock Code	Leng	ıtliPack Qty	A/F Size	Fully Threaded	Finish
F8M8806010ZY	10	50	8	Yes	Zinc Yellow
F8M8806012ZP	12	50	8	Yes	Zinc Clear
F8M8806016ZP	16	50	8	Yes	Zinc Clear
F8M8806020ZP	20	50	8	Yes	Zinc Clear
F8M8806025ZP	25	50	8	Yes	Zinc Clear

These flanged bolts are used on motorcycle fairings

An assortment kit is available with M6 x 12, 13, 20 & 25 bolts with M6 engineers washers

SERRATED ZINC CLEAR METRIC COARSE CLASS 8.8



M6 - 1.00mm Pitch Serrated

Manufactured to DIN 6921

Stock Code	Leng	gtlPack Qty	A/F Size	Fully Threaded	Finish
FSM8806012Z	12	50	10	Yes	Zinc Clear
FSM8806016Z	16	50	10	Yes	Zinc Clear
FSM8806020Z	20	50	10	Yes	Zinc Clear
FSM8806025Z	25	50	10	Yes	Zinc Clear
FSM8806030Z	30	50	10	Yes	Zinc Clear

M8 - 1.25mm Pitch Serrated

Manufactured to DIN 6921

Stock Code	Leng	t if ack Qty	A/F Size	Fully Threaded	Finish
FSM8808016Z	16	50	13	Yes	Zinc Clear
FSM8808020Z	20	50	13	Yes	Zinc Clear
FSM8808025Z	25	50	13	Yes	Zinc Clear
FSM8808030Z	30	50	13	No	Zinc Clear
FSM8808040Z	40	50	13	No	Zinc Clear
FSM8808040Zb	50	50	13	N0	Zinc Clear

M10 - 1.50mm Pitch Serrated

Manufactured to DIN 6921

Stock Code	Leng	itliPack Qty	A/F Size	Fully Threaded	Finish
FSM8810020Z	20	50	15	Yes	Zinc Clear
FSM8810025Z	25	50	15	Yes	Zinc Clear
FSM8810030Z	30	50	15	Yes	Zinc Clear
FSM8810040Z	40	50	15	No	Zinc Clear
FSM8810050Z	50	50	15	No	Zinc Clear

SERRATED METRIC COARSE

M10 - 1.50mm Pitch Serrated

Stock Code Length A/F Size Finish

		Pack Qty		Fully Threaded	
FSM1010020ZY	20	50	14	Yes	Zinc Yellow
FSM1010025ZY	25	50	14	Yes	Zinc Yellow
FSM8810080ZY	80	25	14	No	Zinc Yellow

Used on agricultural equipment

METRIC CLASS 8 FLANGE NUTS



Coarse Pitch Flange Serrated Nuts

Stock Code	Dian	n efleic k Qty	A/F Size	Pitch	Finish
NFSMC803ZY	M3	200	5.5	0.50mm	Zinc Yellow
NFSMC803ZYB	M3	1000	5.5	0.50mm	Zinc Yellow
NFSMC804ZY	M4	100	7	0.70mm	Zinc Yellow
NFSMC805ZY	M5	100	8	0.80mm	Zinc Yellow
NFSMC806ZY	M6	100	10	1.00mm	Zinc Yellow
NFSMC808ZY	M8	100	12	1.25mm	

				Zinc Yellow
NFSMC810ZY	M10 100	14	1.50mm	Zinc Yellow
NFSMC814ZY	M14 50	21	2.00mm	Zinc Yellow
NFSMC8120	M20 25	30	2.50mm	Zinc Yellow

Fine Pitch Flange Serrated Nuts

Stock Code	Diam etec k Qty	A/F Size	Pitch	Finish
NFSMF810ZY	M10 100	14	1.25	Zinc Yellow
NFSMF812ZY	M12 100	18	1.25	Zinc Yellow
NFSMF814ZY	M14 50	21	1.5	Zinc Yellow

METRIC FLANGED NYLON INSERT LOCK NUTS



Coarse Pitch Flange Non-Serrated

Manufactured to DIN 6926 Class 8

Stock Code	Diam	n e†erc k Qty	A/F Size	Pitch	Finish
NNFM06Zc	M6	200	10	1.00mm	Zinc Clear
NNFM08Zc	M8	100	13	1.25mm	Zinc Clear
NNFM10Zc	M10	100	16	1.50mm	Zinc Clear
NNFM12Zc	M12	50	18	1.75mm	Zinc Clear





ROGER'S WHOLESALE FASTENER AGENCY

ph: 0426 252 663 web: www.rwfa.com.au

This page is available at https://www.rwfa.com.au/Products/Metric-Flange-Bolts/